





### **ABOUT US**

### Constantly researching and innovating...

Finetech Research and Innovation Corporation was established in 1999 and has been engaged in the gas and fluid filtration used in laboratories and the medical fields for many years. We concentrate on the researching, developing, and manufacturing of lab filters such as syringe filters, 50mm air/vent filters, pipette filters, gas analyzer filters, and customized filters.

In 2004, we were the first manufacturer of transducer protectors used in dialysis. In 2017, sales of transducer protectors had reached to over 30 million pieces/year. Our high quality and ISO 13485 certified transducer protectors has kept our customers satisfied for more than 14 years.

Manufactured in 2010, our syringe filter is designed to provide efficient filtration of aqueous and organic solutions. It can be used to remove particles from a sample prior to analysis by HPLC, for the filtration of gases, and for the removal of bacteria from a sample. Syringe filters are widely used in environmental, pharmaceutical, biotechnology, and agricultural testing laboratories.

In 2015, Finetech designed and manufactured caps, septa, and samples vials used in chromatography. We supply HPLC consumables to the global chromatography community in over 36 countries. We constantly innovate with releases of new lab consumables and medical devices every year. Some of the other products we manufacture are sterile syringe filter, membrane filters, centrifuge tube, glass microfiber filters, vacuum filtration system, and QuECh-ERS. To find out more, please visit our website "WWW.finetech-filters.com".

### **History**

- 2021 Developed Racked Filters Tips, PCR Supplies
- 2020 Produced Disposable Medical Masks
- 2019 Produced Bottle Top Filter Unit
- 2018 Researched and developed QuEChERS
- 2017 Produced 15mL & 50mL centrifuge tubes (sterile & non-sterile)
- 2016 New product launched sterile filtration cup
- 2015 Achieved ISO 9001. Received award of Conventional Industry Technology Development for Medical grade septa
- 2014 Started producing sterile syringe filters
- 2012 Produced the 1st 50mm air vent filters
- 2010 Produced the 1st syringe filters manufactured in a cleanroom
- 2008 Developed transducer protectors. 1st manufacturer in Asia
- 2005 Awarded the Medical Device award from Taiwan Government
- **1999 Finetech Research and Innovation Corporation established**





China Office

Vietnam 1st factory





**Taiwan Factory** 




New factory under construction in Vietnam




### **Product Timeline**

Finelech



### Contents



### **A.** Finetech<sup>®</sup> Sterile Syringe filter



- Housing material: Medical grade polypropylene
- Pore Size: 0.22um, 0.45µm
- Outside diameter: 17mm
- Membrane diameter: 13mm
- High flow rate and throughput
- Low hold-up volume (less than 25µL)
- Low extractables
- Individual sterile blister pack



- Housing material: Medical grade polypropylene
- Pore Size: 0.22um, 0.45µm
- Outside diameter: 33mm
- Membrane diameter: 25mm
- High flow rate and throughput
- Low hold-up volume (less than 100µL)
- Low extractables
- Individual sterile blister pack

1		2	3	4	(5)
Membrane		Diameter	Sterile	Pore size	Membrane characteristics
PVDF PTFE Nylon MCE	CA PES RC GF	017=13mm 033=33mm	N (Non-Sterile) S (EO/GAMMA)	022=0.22μm 045=0.45μm	I = hydrophilic O = hydrophobic
	13mm: 100pcs/pk   33mm: 100pcs/pk     Example: PVDF 033 S 022 I = 33mm, PVDF membrane, Sterile, 0.22um				



### **B.** Finetech<sup>®</sup> Bottle Top Filter



#### Features

- Manufactured from virgin Polystyrene.
- Tissue culture treated surface to aid in cell attachment.
- Walls have even thickness and no distortion.
- Wide design increases stability when stacked.
- Quick opening cap.
- Angled bottleneck, convenient for pipettes and cell scraping.
- Frosted write-on spot.
- Clear graduation scale.



	Membrane	Diameter	Pore Size	Description	Packaging
FC-PVDF500G0221-90	PVDF	90mm	0.22um	Sterile Bottle Top Vacuum Filter Funnel Capacity: 500ml Individually Packed	12pcs/CTN
FC-PVDF500G0451-90	PVDF	90mm	0.45um	Sterile Bottle Top Vacuum Filter Funnel Capacity: 500ml Individually Packed	12pcs/CTN
FC-PES500G0221-90	PES	90mm	0.22um	Sterile Bottle Top Vacuum Filter Funnel Capacity: 500ml Individually Packed	12pcs/CTN
FC-PES500G0451-90	PES	90mm	0.45um	Sterile Bottle Top Vacuum Filter Funnel Capacity: 500ml Individually Packed	12pcs/CTN



### **C.** Finetech<sup>®</sup> Cell Culture Plate



#### Features

- Available in 6, 12, 24, 48, 96 well plates.
- Manufactured from virgin Polystyrene.
- Tissue culture treated surface to aid in cell attachment.
- Tight fitting cover prevents contamination and loss by evaporation.
- One-way cover reduces errors.
- Alphanumeric labels for easy organization.
- Stack-able to save space.
- Gamma ray sterilization.
- DNase/RNase-free and non-pyrogenic.

Model No.	Number of Wells	Bottom	Cell Growth Area	Recommended Volume	Sterile	Packaging
CCWP6-S	6	Flat	9.5 cm²	1.9-2.9 mL	Yes	50pcs/carton
CCWP12-S	12	Flat	3.6 cm <sup>2</sup>	0.76-1.14 mL	Yes	50pcs/carton
CCWP24-S	24	Flat	1.9 cm²	0.38-0.57 mL	Yes	50pcs/carton
CCWP48-S	48	Flat	0.88 cm <sup>2</sup>	0.19-0.285 mL	Yes	50pcs/carton
CCWP96-S	96	Flat	0.32 cm²	0.1-0.2 mL	Yes	65pcs/carton



### **D.** Finetech<sup>®</sup> Cell Culture Flask






#### Features

- Manufactured from virgin Polystyrene.
- Tissue culture treated surface to aid in cell attachment.
- Walls have even thickness and no distortion.
- Wide design increases stability when stacked.
- Quick opening cap.
- Angled bottleneck, convenient for pipettes and cell scraping.
- Frosted write-on spot.
- Clear graduation scale.
- Stack-able to save space.
- Gamma ray sterilization.

Model No.	Volume	Recommende d Volume	Cell Growth Area	Сар	Sterile	Packaging
CCF25SC-S	50 mL	5-7.5 mL	25 cm²	Sealed	Yes	12pcs/pack
						300pcs/case
CCF75SC-S	250 mL	15-22.5 mL	75 cm²	Sealed	Yes	5pcs/pack
0017330-3	200 1112	15-22.5 IIIL	7 J UII-	Sealed	103	90pcs/case
CCF175SC-S	750 mL	35-52.5 mL	175 cm²	Sealed	Yes	5pcs/pack
CCF1755C-5	F1/5SC-S /50 mL			Sealed	103	50pcs/case
		EZEml	25 cm²	Vent	Yes	12pcs/pack
CCF25FC-S	50 mL	5-7.5 mL	25 CHI-	vent	103	300pcs/case
CCF75FC-S 250 mL		50 mL 15-22.5 mL	75 am2	Vent	Yes	5pcs/pack
		13-22.5 IIIL	75 cm²			90pcs/case
CCF175FC-S	750 mL 35-52.5 r	35-52.5 mL	175 cm <sup>2</sup>	Vent	ent Yes	5pcs/pack
	730 ME	55-52.5 IIIL				50pcs/case



### E. Finetech<sup>®</sup> Cell Culture Dish



#### ✤ Features

- Tissue culture treated surface to aid in cell attachment.
- Flat and with even thickness. Allowing distortion-free observation.
- Easy to grip sides.
- Gamma ray sterilization.
- DNase/RNase-free and non-pyrogenic.

Model No.	Diameter	Recommended Volume	Cell Growth Area	Sterile	Packaging
CCD35-S	35mm	1.8-2.7 mL	8.5 cm <sup>2</sup>	Yes	10pcs/pack
		1.0 2.7 me			500pcs/case
CCD60-S	(0,000,000		22.9 cm <sup>2</sup>	Yes	20pcs/pack
CCD60-3	60mm	4.2-6.3 mL	22.9 CIII-	162	500pcs/case
CCD100-S	100mm	11-16.5 mL	57.6 cm²	Yes	10pcs/pack
	(Grip Design)	11-10.5 IIIL	57.0 CHI-	res	300pcs/case



### **F.** Finetech<sup>®</sup> Sterile Centrifuge Tube

### **15/50ml Centrifuge Tubes**



#### ✤ Features


- These conical-bottom tubes are made of ultra-clear polypropylene.
- Cap Material: HDPE
- Sterility: EO or Gamma
- Leakproof
- Black printed graduations with large marking strip for easy labeling.
- Easy single-hand operation.
- Clear graduations provides easy volume reference.
- Available in non-sterile.

	15mL	50mL
Bottom Graduation Range	0.1 ~ 1 mL	-
Bottom Graduation Interval	0.1 mL	-
Graduation Range	1.5 ~ 14.5 mL	5 ~ 50 mL
Graduation Interval	0.5 mL	2.5 mL
Freezable	-80°C	-80°C
Maximum RCF	21,800 xg	14,000 xg
Maximum RPM	15,000 rpm	12,000 rpm




10

Model No.	Description	Packaging
ST-tube15	15 mL centrifuge tubes, Nonsterile	25pcs/pk, 500pcs/ctn
ST-tube50	50 mL centrifuge tubes, Nonsterile	25pcs/pk, 500pcs/ctn
ST-tube15-EO	15 mL centrifuge tubes, EO sterile	25pcs/pk, 500pcs/ctn
ST-tube50-EO	50 mL centrifuge tubes, EO sterile	25pcs/pk, 500pcs/ctn
ST-tube15-GA	15 mL centrifuge tubes, Gamma sterile	25pcs/pk, 500pcs/ctn
ST-tube50-GA	50 mL centrifuge tubes, Gamma sterile	25pcs/pk, 500pcs/ctn



### **G.** Finetech<sup>®</sup> Pipette Filter Tips



#### Features

- Made of highly transparent PP material.
- Non-pyrogenic and with low adhesion.
- Compatible with Finetech, Eppendorf, Brand, Gilson, Thermo/Finn, and other brands pipette.
- High quality tip with smooth inner walls reduces sample residual.
- Racked sterile filter tips also available.
- Free of DNase, RNase, DNA, Endotoxin.

#### Racked pipette tips with filter





### Ordering Information

Model No.	Description	Packaging
Tip-S10F-R	10ul Sterile filter pipette tips, Clear, Racked	96/pk,4800/cs
Tip-S10FL-R	10ul Sterile filter pipette tips, Low Retention, Clear, Racked	96/pk,4800/cs
Tip-S10FE-R	10ul Sterile Extended Long pipette tips, Clear, Racked	96/pk,4800/cs
Tip-S10FEL-R	10ul Sterile Extended Long pipette tips, Low Retention,Clear, Racked	96/pk,4800/cs
Tip-S200F-R	200ul Sterile filter pipette tips, Clear, Racked	96/pk,4800/cs
Tip-S200FL-R	200ul Sterile filter pipette tips, Low Retention, Clear, Racked,	96/pk,4800/cs
Tip-S300F-R	300ul Sterile filter pipette tips, Clear, Racked	96/pk,4800/cs
Tip-S300FL-R	300ul Sterile filter pipette tips, Low Retention, Clear, Racked,	96/pk,4800/cs
Tip-S1000F-R	1000ul Sterile filter pipette tips, blue, Racked	96/pk,4800/cs
Tip-S1000FL-R	1000ul Sterile filter pipette tips, Low Retention, Clear, Racked	96/pk,4800/cs
Tip-S1250F-R	1250ul Sterile filter pipette tips, blue, Racked	96/pk,4800/cs
Tip-S1250FL-R	1250ul Sterile filter pipette tips, Low Retention, Clear, Racked	96/pk,4800/cs


### H. Finetech<sup>®</sup> Sterile Serological Pipette



- Capacity:1mL-50mL
- Sterilization:E-Beam
- Packaging:Individually packed

### Features

- made of imported general purpose polystyrene (GPPS) in clean room environment.
- Available in six capacity: 1.0ml, 2.0ml, 5.0ml, 10.0ml, 25.0ml, 50.0ml. Graduations are calibrated within ±2%.
- 1.0ml, 2.0ml, 5.0ml pipettes are shaped by streching method.
- 5.0ml, 10.0ml, 25.0ml, 50.0ml pipettes tips are welded to the tube by supersonic wave.
- Smooth and clean without draw lines.
- Different colors correspond to different specification, making it easy to distinguish.
- Maximum reduction of liquid adhesion to the tube inner wall, which improve the sampling accuracy.
- Excellent double-side graduation design ideally meet with the demand for liquid adding or reducing.
- Clear and simple graduation, as well as the negative one for extra volume, makes the liquid drawing and reading easier.
- All serological pipettes are assembled with high quality filters.
- Available sterile or non-sterile .
- Non-pyrogenic and DNase/RNase-free.



### Ordering Information

Model No.	Description	Packaging
	Capacity: 1mL	
FT9010	Size: Ø5×270mm	
	Individual packs and E-Beam sterilization	300pcs/box ,1800pcs/CTN
	Capacity: 2mL	
FT9020	Size: Ø6×280mm	
	Individual packs and E-Beam sterilization	
	Capacity: 5mL	
FT9050	Size: Ø8×345mm	
	Individual packs and E-Beam sterilization	200maa (hay 1200maa (CTN
	Capacity: 10mL	200pcs/box 1200pcs/CTN
FT9100	Size: Ø10×345mm	
	Individual packs and E-Beam sterilization	
	Capacity: 25mL	
FT9250	Size: Ø15×345mm	100pcs/box 600pcs/CTN
	Individual packs and E-Beam sterilization	
	Capacity: 50mL	
FT9500	Size: Ø18×345mm	75pcs/box 450pcs/CTN
	Individual packs and E-Beam sterilization	

## FINETECH RESEARCH & INNOVATION CORP.



### **Company Profile**

- Since 1999, Finetech Research and Innovation Corporation has been manufacturing and supplying laboratory consumables to various types of labs all over the world. With exports to over 40 countries, Finetech has become one of the leading provider for environmental, pharmaceutical, biological, and other testing laboratories
- Finetech began with the research & development and manufacturing of syringe filters and other filtration products. In keeping with our core principle of innovation, Finetech has expanded their product line to include lab equipment and other supplies to meet the needs of their customers.
- Finetech follows the principles of quality over quantity and good services for all.

The importance of quality can be seen in the use of quality imported materials and equipment, the use of a cleanroom, and the strict quality control standards.



-23560C-9C-12	ACCOUNTS - STREAMER
******	+ + X = + H = 3 ++++ + + + + + + + + + + + + + + + +
- 13	·····
ALLEE	A CONTRACTOR AND A CONTRACTOR
-	۵
and the second	
-	

### Contact us

# Sample vials Glass fiber filters Biochemical supplies Syringe filters Air filters Taipei Hsinchu



Sales@finetech-filters.com **\$** +886-977-216-648 line/whatsapp: +886-977-216-648 (Patrick)

