

頁數(Page): 1 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓

15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 力天材料有限公司(LITIAN TECHNOLOGY CO., LTD.)

BAKELITE SHEET 樣品名稱(Sample Description) 收件日期(Sample Receiving Date) 2019/04/15

測試期間(Testing Period) 2019/04/15 to 2019/04/22

測試需求(Test Requested):

- (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯 苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 依據客戶指定,進行鹵素-氟、氯、溴、碘測試. (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample(s).)

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages).

Troy Chang / Manager - Tec Signed for and behalf of SĞS TAIWAN LTD. Chemical Laboratory - Taipei



頁數(Page): 2 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 半透明橘色板子 (TRANSLUCENT-ORANGE BOARD)

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | MDL | 結果 (Result) No.1 |
|----------------------------------|--------------|---|-----|------------------------|
| 鎘 / Cadmium (Cd) | mg/kg | 参考IEC 62321-5 (2013), 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES. | 2 | n. d. |
| 鉛 / Lead (Pb) | mg/kg | 参考IEC 62321-5 (2013), 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES. | 2 | n. d. |
| 汞 / Mercury (Hg) | mg/kg | 参考IEC 62321-4:2013+ AMD1:2017,以感 應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-AES. | 2 | n. d. |
| 六價鉻 / Hexavalent Chromium Cr(VI) | mg/kg | 参考IEC 62321-7-2 (2017),以UV-VIS檢 測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS. | 8 | n. d. |
| 多溴聯苯總和 / Sum of PBBs | mg/kg | 参考IEC 62321-6 (2015),以氣相層析/質 譜儀檢測./ With reference to IEC 62321-6 (2015) and performed by GC/MS. | - | n. d. |
| 一溴聯苯 / Monobromobiphenyl | mg/kg | | 5 | n. d. |
| 二溴聯苯 / Dibromobiphenyl | mg/kg | | 5 | n. d. |
| 三溴聯苯 / Tribromobiphenyl | mg/kg | | 5 | n. d. |
| 四溴聯苯 / Tetrabromobiphenyl | mg/kg | | 5 | n. d. |
| 五溴聯苯 / Pentabromobiphenyl | mg/kg | | 5 | n. d. |
| 六溴聯苯 / Hexabromobiphenyl | mg/kg | | 5 | n. d. |
| 七溴聯苯 / Heptabromobiphenyl | mg/kg | | 5 | n. d. |
| 八溴聯苯 / Octabromobiphenyl | mg/kg | | 5 | n. d. |
| 九溴聯苯 / Nonabromobiphenyl | mg/kg | | 5 | n. d. |
| 十溴聯苯 / Decabromobiphenyl | mg/kg | | 5 | n. d. |



頁數(Page): 3 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | MDL | 結果 (Result) No.1 |
|--|--------------|---|-----|------------------------|
| 多溴聯苯醚總和 / Sum of PBDEs | mg/kg | | - | n. d. |
| 一溴聯苯醚 / Monobromodiphenyl ether | mg/kg | | 5 | n. d. |
| 二溴聯苯醚 / Dibromodiphenyl ether | mg/kg | 參考IEC 62321-6 (2015),以氣相層析/質 譜儀檢測./ With reference to IEC 62321-6 (2015) and performed by GC/MS. | 5 | n. d. |
| 三溴聯苯醚 / Tribromodiphenyl ether | mg/kg | | 5 | n. d. |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 六溴聯苯醚 / Hexabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 八溴聯苯醚 / Octabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 九溴聯苯醚 / Nonabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 十溴聯苯醚 / Decabromodiphenyl ether | mg/kg | | 5 | n. d. |
| 鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7) | mg/kg | 多考IEC 62321-8 (2017),以氣相層析儀/質譜儀檢測./ With reference to IEC 62321-8 (2017).Analysis was performed by GC/MS. | 50 | n. d. |
| 鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7) | mg/kg | | 50 | n. d. |
| 鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2) | mg/kg | | 50 | n. d. |
| 鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- | mg/kg | | 50 | n. d. |
| 鹵素 / Halogen | | | | |
| 鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8) | mg/kg | 参考BS EN 14582 (2016),以離子層析儀 分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC. | 50 | n. d. |
| 鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1) | mg/kg | | 50 | 2050 |
| 鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | | 50 | 9920 |
| 鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8) | mg/kg | | 50 | n. d. |



頁數(Page): 4 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



頁數(Page): 5 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓


15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興/Supervisor: Troy Chang





頁數(Page): 6 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report


力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process • • • 確認程序 / Confirmation process - - - - ▶





頁數(Page): 7 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report


力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

頁數(Page): 8 of 9


Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen

測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page): 9 of 9 號碼(No.): CE/2019/43833 日期(Date): 2019/04/22

Test Report

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2019/43833



** 報告結尾 (End of Report) **