

カ天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By)	:	力天材料有限公司(LITIAN TECHNOLOGY CO.,LTD.)
樣品名稱(Sample Description)	:	GLASS FIBER FR-4(玻璃纖維板(黃色))
收件日期(Sample Receiving Date)	:	2019/01/24
測試期間(Testing Period)	:	2019/01/24 to 2019/01/31
=======================================		

測試需求(Test Requested):

- (1) 依據客戶指定,參考RoHS 指令2011/65/EU Annex II測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample(s).)
- (2) 依據客戶指定,進行鹵素-氟、氯、溴、碘測試. (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample(s).)

测試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).





頁數(Page): 1 of 7



頁數(Page): 2 of 7

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

:

<u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1

黃色玻纖板(YELLOW FIBERGLASS SHEET)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	2.83
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013), 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321-7-2 (2017),以UV-VIS檢 測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.	8	n. d.
多溴聯苯總和 / Sum of PBBs	mg/kg	參考IEC 62321-6 (2015), 以氣相層析/質 譜儀檢測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.



力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓

15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	參考IEC 62321-6 (2015),以氣相層析/質 譜儀檢測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.
鹵素 / Halogen				
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	參考BS EN 14582 (2016),以離子層析儀	50	1350
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	542
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	73000
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)




頁數(Page): 4 of 7

カ天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN



根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) These samples were dissolved totally by pre-conditioning method according to below flow chart.(Cr⁶⁺ test method excluded)

■ 測試人員:陳恩臻 / Technician: Rita Chen





頁數(Page):5 of 7


力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

<u>多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE</u>

■ 測試人員: 涂雅苓 / Technician: Yaling Tu

■ 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process →→ 選擇性篩檢程序 / Optional screen process •••••• 確認程序 / Confirmation process -••••






頁數(Page): 6 of 7

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

<u> 鹵素分析流程圖 / Analytical flow chart - Halogen</u>

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page):7 of 7

力天材料有限公司 LITIAN TECHNOLOGY CO., LTD. 桃園市桃園區經國路389號15樓 15F., NO. 389, JINGGUO RD., TAOYUAN DISTRICT, TAOYUAN CITY, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2019/17064



** 報告結尾 (End of Report) **